

PEER REVIEWED
TECHNICAL PUBLICATIONS ON THE FOOD, FEED, AND
ENVIRONMENTAL SAFETY OF ROUNDUP READYÒ
CANOLA GT73/RT73

Aalhus, J., Dugan, M., Lien, K., Larsen, I., Costello, F., Rolland, D., Best, D., Thacker, R. 2003. Effects of Feeding Glyphosate-tolerant Canola Meal on Swine Growth, Carcass Composition and Meat Quality. Erratum to 2003 Joint Annual Meeting. *Journal of Animal Science*. 81(Suppl 1): 3267.

Alexander,T., Sharma,R., Deng, M., Whetsell,A., Jennings,J., Wang,Y., Okine,E., Damgaard,D., McAllister, T. 2004. Use of Quantitative Real-time and Conventional PCR to Assess the Stability of the cp4 epsps Transgene from Roundup Ready Canola in the Intestinal, ruminal, and Fecal Contents of Sheep. *Journal of Biotechnology*. 112: 255-266.

Alexander, T., Sharma, R., Okine, E., Dixon, W., Forster, R., Stanford, K; McAllister, T. 2002. Impact of Feed Processing and Mixed Ruminal Culture on the Fate of Recombinant EPSP Synthase and Endogenous Canola Plant DNA. *FEMS Microbiology Letters*. 214(2): 263 - 269.

Beckie, H., Seguin-Swartz, G., Nair, H., Warwick, S. Johnson, E. 2004. Multiple Herbicide-resistant Canola Can be Controlled by Alternative Herbicides. *Weed Science*. 52(1): 152-157.

Beckie, J., Warwick, S., Nair, H., Séguin-Swartz, G. 2003. Gene Flow in Commercial Fields of Herbicide-Resistant Canola (*Brassica napus*). *Ecological Applications*. 13 (5): 1276-1294.

Beckie,H.,Holm,F. 2002. Response of Wild Oat - *avena fatua*- to Residual and Non-residual Herbicides in Canola -*brassica napus*- in Western Canada. *Canadian Journal of Plant Science*. 482(4): 797-802.

Brimner, T., Gallivan, G., Stephenson, G. 2005. Influence of Herbicide-resistant Canola on the Environmental Impact of Weed Management. *Pest Management Science*. 61: 47-52. DOI:10.1002/ps.967

Brown, P., Wilson, K., Junker, Y., Nickson, T. 2003. Glyphosate Tolerant Canola Meal is Equivalent to the Parental Line in Diets Fed to Rainbow Trout. *Journal of Agricultural and Food Chemistry*. 51(15): 4268-4272.

Cresswell J., Osborne, J. 2004. The Effect of Patch Size and Separation on Bumblebee Foraging in Oilseed Rape: Implications for Gene Flow. *Journal of Applied Ecology*. 41: 539-546.

Dill, G. 2005. Glyphosate-resistant Crops - History, Status and Future. *Pest Management Science*. Published online; 20 Jan 2005. 61(3): 219-224. DOI: 10.1002/ps.1008

PEER REVIEWED
TECHNICAL PUBLICATIONS ON THE FOOD, FEED, AND
ENVIRONMENTAL SAFETY OF ROUNDUP READY®
CANOLA GT73/RT73

- Dunfield, K., Germida, J. 2003. Seasonal Changes in the Rhizosphere Microbial Communities Associated with Field-Grown Genetically Modified Canola - *Brassica napus*. *Applied and Environmental Microbiology*. 69(12): 7310-7318.
- Gianessi, L. 2005. Economic And Herbicide use Impacts of Glyphosate-resistant Crops.. *Pest Management Science*. 61(3): 241 - 245.
- Hall, L; Topinka, K; Huffman, J; Davis, L; Good, A. 2000. Pollen Flow Between Herbicide-resistant *Brassica napus* Is The Cause Of Multiple-resistant *B. napus* Volunteers. *Weed Science*. 48(6): 688 - 694.
- Harker, K. N., Blackshaw, R. E., Kirkland, K. J., Derksen, D. A., Wall, D. 2000. Herbicide-Tolerant Canola: Weed Control and Yield Comparisons in Western Canada. *Canadian Journal of Plant Science*. 80 (3): 647-654.
- Harrison, L., Bailey, M., Naylor, M., Ream, J., Hammond, B., Nida, D., Burnette, B., Nickson, T., Mitsky, T., Taylor, M., Fuchs, R., Padgette, S. 1996. The Expressed Protein in Glyphosate-Tolerant Soybean, 5-Enolpyruvylshikimate -3-Phosphate Synthase From *Agrobacterium* sp. Strain CP4, is Rapidly Digested in Vitro and is not Toxic to Acutely Gavaged Mice. *Journal of Nutrition*. 126(3): 728-740.
- Huang, Z., Hanley, A., Pett, W., Langenberger, M., Duan, J. 2004. Field and Semifield Evaluation of Impacts of Transgenic Canola Pollen on Survival and Development of Worker Honey Bees. *Journal of Economic Entomology*. 97(5): 1517-1523.
- Legere, A. 2005. Risks and Consequences of Gene Flow from Herbicide-resistant Crops - Canola -*Brassica napus* L- as a Case Study. *Pest Management Science*. 61(3): 292-300.
- Senior, I., Bavage, A. 2003. Comparison of Genetically Modified and Conventionally Derived Herbicide Tolerance in Oilseed Rape - A Case Study. *Euphytica*. 132: 217-226.
- Senior, I., Moyes, C., Dale, P. 2002. Herbicide Sensitivity of Transgenic Multiple Herbicide-Tolerant Oilseed Rape. *Pest Management Science*. 58: 405-412.
- Serecon Management Consulting Inc. 2005. Herbicide Tolerant Volunteer Canola Management in Subsequent Crops. The Canola Council of Canada. Parts 1 and 2. 86 pages.
- Stanford, K., Aalhus, J. L., Dugan, M. E., Wallins, G. L., Sharma, R., McAllister, T. A. 2003. Effects of Feeding Transgenic Canola on Apparent Digestibility, Growth Performance and Carcass Characteristics of Lambs. *Canadian Journal of Animal Science*. 83(2): 299-305.

PEER REVIEWED

**TECHNICAL PUBLICATIONS ON THE FOOD, FEED, AND
ENVIRONMENTAL SAFETY OF ROUNDUP READYÒ
CANOLA GT73/RT73**

Stringam, G., Ripley, V., Love, H., Mitchell, A. 2003. Transgenic Herbicide Tolerant Canola - The Canadian Experience. *Crop Science*. 43(5): 1590-1593.

Taylor, M., Stanisiewski, E., Riordan, S., Nemeth, M., George, B., Hartnell, G. 2004. Comparison of Broiler Performance When Fed Diets Containing Roundup Ready -Event RT73-, Nontransgenic Control, or Commercial Canola Meal. *Poultry Science*. 83: 456-461.