



Large Plot Evaluation of Asgrow[®] Soybean Products – SLC – MS

2017 Learning Center Demo Report
Monsanto Learning Center at Scott, MS





BACKGROUND

- 14 Asgrow[®] soybean brand products were planted at the Monsanto Learning Center in Scott, MS on April 19, 2017, to determine highest yielding Asgrow[®] brand soybean products for this environment.
- The objective was to evaluate new Asgrow[®] brand soybean products for yield.



BACKGROUND

- Asgrow[®] AG41X8 Brand was harvested for yield on August 11, 2017 all other Asgrow[®] soybeans were harvested on August 24, 2017.
- All standard and newly released Asgrow[®] soybean products were evaluated for yield only.



STUDY GUIDELINES

- Plots were 8 rows wide (0.2 acres).
- Soybeans were planted on 38" x 7.5" twin bedded rows.
- The center 6 rows were harvested for yield.



STUDY GUIDELINES

- Two post emerge applications of XtendiMax[®] herbicide with VaporGrip[®] Technology were applied to these plots as per the labeled rate for weed control (22 ounces/acre) on May 3, 2017, and again on May 15, 2017, along with additional necessary herbicides.
- All other agronomic practices were standard for the area.



RESULTS & DISCUSSION




Figure 1. Average 2017 Asgrow® soybean products yield at Scott, MS.



RESULTS & DISCUSSION

- No issues were observed with XtendiMax[®] herbicide with VaporGrip[®] Technology other than excellent weed control.
- Results from this plot were yield only.



TAKE AWAYS

- Results from this trial are reported as yield by soybean product only.
- Several of the new Asgrow[®] soybeans offer excellent yield potential.
- Consult your local Asgrow[®] brand salesperson for further information.



LEGAL STATEMENTS

The information discussed in this report is from a single site, non-replicated demonstration. This informational piece is designed to report the results of this demonstration and is not intended to infer any confirmed trends. Please use this information accordingly.

Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

XtendiMax[®] herbicide with VaporGrip[®] Technology is a restricted use pesticide for retail sale to and use only by Certified Applicators or persons under their direct supervision.

ALWAYS READ AND FOLLOW DIRECTIONS FOR USE ON PESTICIDE LABELING. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. XtendiMax[®] herbicide with VaporGrip[®] Technology and cotton with XtendFlex[®] Technology may not be approved in all states and may be subject to use restrictions in some states. Check with your local Monsanto dealer or representative or U.S. EPA and your state pesticide regulatory agency for the product registration status and additional restrictions in your state. For approved tank-mix products and nozzles visit XtendiMaxApplicationRequirements.com

Asgrow[®] and XtendiMax[®] herbicide with VaporGrip[®] Technology are registered trademarks of Monsanto Technology LLC. All other trademarks are the property of their respective owners.

©2017 Monsanto Company all rights reserved 171010140853 101017 BJM



THANK YOU

Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

